

L Number	Hits	Search Text	DB	Time stamp
1	476	shift\$3 same voltage\$1 same fuse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:49
2	11	shift\$3 same ((program\$5 or hight) near voltage\$1) same fuse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:48
3	65	(level near shift\$3) same voltage\$1 same fuse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:49
4	39	shift\$3 same stand\$3 same voltage\$1 same fuse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:50
5	14	shift\$3 same (stand\$3 with voltage\$1) same fuse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:50
6	910	365/225.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:50
7	30	(shift\$3 same voltage\$1 same fuse\$1) and 365/225.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:50
8	7	((level near shift\$3) same voltage\$1 same fuse\$1) and 365/225.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:50
9	2	(shift\$3 same stand\$3 same voltage\$1 same fuse\$1) and 365/225.7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:50